Firmware Update voor FRITZ!Box Fon WLAN 7170

- 1) Hoe kom ik aan een nieuwe Firmware voor mijn FRITZ!Box Fon WLAN 7170?
- 1. Start uw internet browser
- 2. Typ in de adresregel het volgende adres in: http://www.avm.de/en/Download
- 3. Selecteer FRITZ!Box Fon WLAN 7170 en klik op "Search downloads"

FRITZ!Box		*
Please choose your produc	rt:	
FRITZ!WLAN USB St	ick N	^
FRITZ!Box Fon WLAN	N 7170	
FRITZIBox Fon WLAN FRITZIBox Fon WLAN	N 7140 N 7050	
FRITZ!Box Fon WLAN FRITZ!Box Fon 5124	N	
FRITZ!Box Fon		~
Please choose your operati	ing system:	
Windows XP		*
Please choose your prefere	ed language:	
English		*
	Search downl	oads

4. Kies voor Annex A of Annex B en klik op start download . U kunt zien welke Annex uw FRITZ!Box gebruikt op de onderkant van uw FRITZ!Box



2) Hoe voorzie ik mijn FRITZ!Box Fon WLAN 7170 van een nieuwe firmware?

- 1. Start uw internet browser
- 2. Typ in de adresregel het volgende adres in: <u>http://fritz.box</u>
- 3. U bent nu in de interface waar de informatie vindt over de actueel geïnstalleerde firmware. (zie afbeelding)

System FRITZ!Box Fon WLAN 7170 Annex A, Firmware version 58.04.56

- 4. Ga vervolgens naar "Settings"
- 5. Ga naar "System"
- 6. Ga naar "Update Firmware"



7. Klik op "Bladeren"

FRITZ!Box Firmware				
	Firmware version 58.04.56			
1.	Download the current firmware from the AVM Internet site and save this file on your computer's hard drive. To Current Firmware			
2.	Specify where the downloaded firmware is located on your hard drive. Bladeren			
3.	Start the firmware update by clicking the "Update" button. Update			
FRITZ	ZIBox will restart after a firmware update. All connections will be interrupted.			
	Help			

8. Selecteer vervolgens de firmware die u zojuist heeft gedownload en klik op "Open"

Bestand uploa	den 🔹 💽 🔀
Look <u>i</u> n:	My documents 🤄 🕑 🤌 🗁 🛄 🗸
My Recent Documents	FRITZ.Box_Fon_WLAN_7170.AnnexA.en.58.04.57.image
Desktop	
My Documents	
My Computer	
	File <u>n</u> ame: FRITZ.Box_Fon_WLAN_7170.AnnexA.en.58.0 V
My Network	Files of type: Alle bestanden

9. Klik op "Update"

FRITZ!Box Firmware			
Firmware version 58.04.56			
 Download the current firmware from the AVM Internet site and save this file on your computer's hard drive. To Current Firmware 			
 Specify where the downloaded firmware is located on your hard drive. C:\Documents and Settings\GBM\My Docum 			
3 Start the firmware update by clicking the "Update" button. Update			
FRITZIBox will restart after a firmware update. All connections will be interrupted.			
Help			

- 10. Het Update proces neemt enige minuten in beslag.
- 11. Na enige minuten kunt u controleren of uw Box de juiste update bevat door stap 2.1 tot en met stap 2.3 te herhalen

 System
FRITZIBox Fon WLAN 7170 Annex A, Firmware version 58.04.57

3) Instellingen Noodroep nummers 112

Nadat u uw Firmware Update heeft doorgevoerd controleert u of de instellingen voor "Noodroep nummers" juist zijn.

- 1. Start uw browser
- 2. Typ in de adresregel het volgende adres in: <u>http://fritz.box</u>
- 3. Ga naar Settings
- 4. Ga naar Telephony
- 5. Ga naar Internet Telephony

	Overview
	► Internet
	- Telephony
	♦ Call <u>List</u>
\langle	Internet Telephony
	ISDN Terminal Devices
	Extensions
	Dialing Rules
	Telephone Book
	Call Diversion
	Call Blocking
	+ Alarm
	Regional Options
	USB Devices
	→ WLAN
	→ System
	+ Programs
	→ Help

6. Klik op de "Edit" knop

Internet Telephony				
Internet Numb	ers Advance	ed Settings		
Here you can add new Internet numbers and edit account information.				
Enabled Intern	et number	Provider	Selection	
31248	812345	sip.xs4all.nl	*121#	
			New Internet Number	
		Apply	Cancel Help	

7. Bij "Relay ourgoing emergency calls without prefixes" moet een vinkje staan

Internet Number				
Enter here the account information you received from your Internet telephony provider.				
✓ Use Internet number				
Internet number	31248812345			
Account information supplied by yo	ur Internet telephon	y provider:		
User name	31248812345			
Password	••••]		
Password confirmation	••••]		
Registrar	sip.xs4all.nl			
Relay outgoing emergency calls without prefixes.				
✓ Insert area code for outgoing calls				
	Apply	Cancel	Help	